



THE WOOLMARK COMPANY

WOOLMARK SPECIFICATION

WOOLMARK APPAREL CARE

CONDITIONERS AND
SOFTENERS

SPECIFICATION CP-2

Effective 1 January 2016

WOOLMARK SPECIFICATION

SPECIFICATION CP-2: 2016

CONDITIONERS AND SOFTENERS

MANDATORY REQUIREMENTS

Property	Test method	Pass level
Colourfastness to washing	306	Shade change (treated - untreated) Grey scale \leq 0.5 Staining (treated - untreated) Delta E \leq 1.0
Effect on pilling	303 then 152	Rating \geq untreated control
Fabric bulk	303 then 296	Rating \geq untreated control
Effect on fabric handle : WSK3 fabric	302	At least 50% of assessors detect softener
Effect on fabric handle : WSK2 fabric	302	At least 90% of assessors detect softener

woolmark.com



THE WOOLMARK COMPANY

Whilst The Woolmark Company Pty Ltd and its employees, officers and contractors, and any contributor to this material ("us" or "we") have used best commercial endeavours to ensure that the information contained in this material is correct and current at the time of its publication, we accept no liability with regard to its accuracy, reliability, suitability, currency or completeness for use for your purposes. To the extent permitted by law, we exclude all conditions, warranties, guarantees, terms and obligations expressed, implied or imposed by law or otherwise relating to the information contained in this material or your use of it and will have no liability to you, however arising and under any cause of action or theory of liability, in respect of any loss or damage (including any indirect, special or consequential loss or damage, loss of profit or loss of business opportunity), arising out of or in connection with this material or your use of it.

© The Woolmark Company Pty Ltd

All rights reserved. This work is copyright. Except as permitted under Copyright Law no part of this publication may be reproduced by any process, electronic or otherwise, without the specific written permission of the copyright owner. Neither may information be stored electronically in any form whatsoever without such permission.